North Connaght 110kV Project

LVIA Photomontages

This book contains imagery for the viewpoints chosen for the LVIA study

April 2022





INDEX - North Connaght 110kV Project - Moy Substation

Viewpoint 1 - Existing View + Outline View

Viewpoint 1 - Montage View

NB - There is no Mitigated Montage View for this viewpoint

Viewpoint 2 - Existing View + Outline View

Viewpoint 2 - Montage View + Mitigated View

Viewpoint 3 - Existing View + Outline View


Viewpoint 3 - Montage View

NB - There is no Mitigated Montage View for this viewpoint

Viewpoint 4 - Existing View + Outline View

NB - There is no Montage or Mitigated Montage View for this viewpoint

LVIA viewpoint locations selected for the Moy Substation



INDEX - North Connaght 110kV Project - Tonroe Substation

Viewpoint 5 - Existing View + Outline View

Viewpoint 7 - Existing View + Outline View

Viewpoint 5 - Montage View + Mitigated View

Viewpoint 7 - Montage View + Mitigated View


Viewpoint 6 - Existing View + Outline View


Viewpoint 8 - Existing View + Outline View

Viewpoint 6 - Montage View + Mitigated View

Viewpoint 8 - Montage View + Mitigated View

LVIA viewpoint locations selected for the Tonroe Substation







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 522372 Northing (ITM): 820305 Direction of View 178° E of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level





To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 522372 Northing (ITM): 820305 Direction of View 178° E of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 522584 Northing (ITM): 820152 Direction of View 110° W of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level









To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

522584 Easting (ITM): Northing (ITM): 820152 Direction of View 110° W of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 522147 Northing (ITM): 819465 Direction of View 18° E of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level





To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 522147 Northing (ITM): 819465 Direction of View 18° E of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): Angle of View:

522354 Northing (ITM): 819479 Direction of View 3° E of Grid North 80°

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 562353 Northing (ITM): 795904 Direction of View 178° E of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 562353 Northing (ITM): 795904 Direction of View 178° E of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 562161 Northing (ITM): 795599 Direction of View 58° E of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 562161 Northing (ITM): 795599 Direction of View 58° E of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 80°.

Easting (ITM): Northing (ITM): Direction of View 27°W of Grid North Angle of View:

562413 795621 120°

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 80°.


Easting (ITM): Northing (ITM): Direction of View 27°W of Grid North Angle of View:

562413 795621 120°

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level









To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 80°.

Easting (ITM): Northing (ITM): Direction of View 77°W of Grid North Angle of View:

562500 795701 120°

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level



Imagery depicting the view towards the site (Montage pre- and post-mitigation establishment)





These are 120° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 80°.

Easting (ITM): Northing (ITM): Direction of View 77°W of Grid North Angle of View:

562500 795701 120°

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level

Date: Time:

10/02/2022 14:02

